































lightwolf® 
Ihr spezielles Licht

































LED SILICONE NEON STRIP































CONTENTS























CONTENTS




CONTENTS



CONTENTS



LWTG1105-1




Lighting Direction	Top Lighting
PCB Width(mm)	8
Weight(g/m)	50
Section size(mm)	5*11
Beam angle	120°



End cap with hole End cap no hole Plastic Clip

LWTG1305-1




Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	56
Section size(mm)	5*13
Beam angle	120°



End cap with hole End cap no hole Plastic Clip



LWTG1505-1




Lighting Direction	Top Lighting
PCB Width(mm)	12
Weight(g/m)	61
Section size(mm)	5*15
Beam angle	120°





LWTG0606-1



Lighting Direction	Top Lighting
PCB Width(mm)	3
Weight(g/m)	42
Section size(mm)	6*6
Beam angle	180°



LWTG0808-1



Lighting Direction Top Lighting


PCB Width(mm) 5

Weight(g/m) 56

Section size(mm) 8*0




Beam angle 120°

Aluminum Profile size



End cap no hole End cap with hole Aluminum Clip

LWTG1010-1



Lighting Direction Top Lighting


PCB Width(mm) 5/6

Weight(g/m) 112

Section size(mm) 10*10




Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG1010-2



Lighting Direction 3 Sides Top Lighting

PCB Width(mm) 5/6

Weight(g/m) 116

Section size(mm) 10*10

Beam angle 180°

Aluminum Profile size



End cap with hole




End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1010-3



Lighting Direction Top Lighting


PCB Width(mm) 5

Weight(g/m) 90

Section size(mm) 10*10

Beam angle 120°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1010-4



Lighting Direction

Side Lighting

PCB Width(mm)

6

Weight(g/m)

84


Section size(mm)

10*10

Beam angle

120°

Aluminum Profile size



End cap with hole




End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1212-1



Lighting Direction

Top Lighting

PCB Width(mm)

8

Weight(g/m)

138



Section size(mm)

12*12

Beam angle

120°

Aluminum Profile size



End cap with hole




End cap no hole


Aluminum Clip


Aluminum Profile

Flexible Profile



LWTG1212-2





Lighting Direction	3 Sides Top Lighting
PCB Width(mm)	8
Weight(g/m)	125
Section size(mm)	12*12
Beam angle	180°
Aluminum Profile size	





LWTG1212-3





Lighting Direction	Top Lighting
PCB Width(mm)	8
Weight(g/m)	114
Section size(mm)	12*12
Beam angle	120°
Aluminum Profile size	





LWTG1212-4





Lighting Direction	Side Lighting
PCB Width(mm)	5
Weight(g/m)	166
Section size(mm)	12*12
Beam angle	120°
Aluminum Profile size	






LWTG1212-8




Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	135
Section size(mm)	12*12
Beam angle	120°
Aluminum Profile size	





LWTG1215-1




Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	180
Section size(mm)	12*15
Beam angle	120°
Aluminum Profile size	





LWTG1414-2



Lighting Direction	3 sides Top Lighting
PCB Width(mm)	10
Weight(g/m)	147
Section size(mm)	14*14
Beam angle	180°
Aluminum Profile size	



LWTG1414-1



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	145
Section size(mm)	14*14
Beam angle	120°
Aluminum Profile size	11mm 16mm





End cap with hole

End cap no hole

Aluminum Clip

Aluminum Profile

LWTG1414-3



Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	163
Section size(mm)	14*14
Beam angle	120°
Aluminum Profile size	11mm 16mm



End cap with hole



End cap no hole


Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1510-1






Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	131
Section size(mm)	15*10
Beam angle	120°
Aluminum Profile size	



End cap with hole End cap no hole Aluminum Clip Aluminum Profile

LWTG1515-1





Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	170
Section size(mm)	15*15
Beam angle	120°
Aluminum Profile size	



End cap with hole End cap no hole Aluminum Clip

LWTG1614-1



Lighting Direction Top Lighting


PCB Width(mm) 10

Weight(g/m) 210

Section size(mm) 16*14




Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Flexible Profile

LWTG1616-1



Lighting Direction Top Lighting


PCB Width(mm) 10/12

Weight(g/m) 238

Section size(mm) 16*16




Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG1616-2



Lighting Direction Top Lighting


PCB Width(mm) 10

Weight(g/m) 192

Section size(mm) 16*16

Beam angle 120°

Aluminum Profile size



End cap with hole




End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1616-3



Lighting Direction Side Lighting


PCB Width(mm) 10

Weight(g/m) 259

Section size(mm) 16*16

Beam angle 120°

Aluminum Profile size



End cap with hole




End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1616-4



Lighting Direction 3 sidesTop Lighting



PCB Width(mm) 10

Weight(g/m) 198

Section size(mm) 16*16

Beam angle 180°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1617-1



Lighting Direction Side Lighting


PCB Width(mm) 12

Weight(g/m) 232

Section size(mm) 16*17

Beam angle 120°

Aluminum Profile size






End cap with hole


End cap no hole

Aluminum Clip

Flexible Profile




LWTG2014-1




Lighting Direction	Top Lighting
PCB Width(mm)	10/12
Weight(g/m)	255
Section size(mm)	20*14
Beam angle	180°
Aluminum Profile size	






LWTG2014-2



Lighting Direction	3 sidesTop Lighting
PCB Width(mm)	10/12
Weight(g/m)	251
Section size(mm)	20*14
Beam angle	180°
Aluminum Profile size	



LWTG2014-3



Lighting Direction Top Lighting


PCB Width(mm) 10

Weight(g/m) 183

Section size(mm) 20*14



Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG2020-1



Lighting Direction Top Lighting


PCB Width(mm) 10/12

Weight(g/m) 348

Section size(mm) 20*20




Beam angle 180°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG2020-2



Lighting Direction 3 sides Top Lighting



PCB Width(mm) 10/12

Weight(g/m) 295

Section size(mm) 20*20

Beam angle 180°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG2020-3



Lighting Direction Top Lighting



PCB Width(mm) 10/12

Weight(g/m) 271

Section size(mm) 20*20

Beam angle 180°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG2020-4



Lighting Direction Top/Side Lighting



PCB Width(mm) Top View 8/Side View 10

Weight(g/m) 297

Section size(mm) 20*20

Beam angle 120°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG2010-1



Lighting Direction Top Lighting


PCB Width(mm) 10/12

Weight(g/m) 180

Section size(mm) 20*10

Beam angle 120°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG2517-1



Lighting Direction Top Lighting



PCB Width(mm) 15

Weight(g/m) 362

Section size(mm) 25*17



Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile

LWTG2720-1



Lighting Direction Top Lighting



PCB Width(mm) 15

Weight(g/m) 400

Section size(mm) 27*20



Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile

LWTG3020-1



Lighting Direction Top Lighting



PCB Width(mm) 15

Weight(g/m) 476

Section size(mm) 30*20




Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG3020-2



Lighting Direction Top Lighting



PCB Width(mm) 15

Weight(g/m) 428

Section size(mm) 30*20



Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG3032-1



Lighting Direction Side Lighting


PCB Width(mm) 12/15

Weight(g/m) 644

Section size(mm) 30*32



Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile

LWTG4025-1



Lighting Direction Top Lighting



PCB Width(mm) 20

Weight(g/m) 657

Section size(mm) 40*25



Beam angle 120°


Aluminum Profile size




End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile




LWTG5025-1




Lighting Direction	Top Lighting
PCB Width(mm)	20
Weight(g/m)	860
Section size(mm)	50*25
Beam angle	120°
Aluminum Profile size	





LWTG7030-1




Lighting Direction	Top Lighting
PCB Width(mm)	30
Weight(g/m)	1339
Section size(mm)	70*30
Beam angle	120°
Aluminum Profile size	



LWTG10030-1





Lighting Direction	Top Lighting
PCB Width(mm)	20X2
Weight(g/m)	1836
Section size(mm)	100*30
Beam angle	120°
Aluminum Profile size	



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG0408-1





Lighting Direction	Side Lighting
PCB Width(mm)	5
Weight(g/m)	30
Section size(mm)	4*8
Beam angle	120°



End cap with hole End cap no hole

LWTG0410-1



Lighting Direction Side Lighting



PCB Width(mm) 5/6

Weight(g/m) 47

Section size(mm) 4*10

Beam angle 120°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG0612-1



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 75

Section size(mm) 6*12

Beam angle 120°

Aluminum Profile size



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile



Flexible Profile

LWTG0613-1




Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	79
Section size(mm)	6*13
Beam angle	180°

Aluminum Profile size





End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG0616-1





Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	89
Section size(mm)	6*16
Beam angle	120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

WTG0616-4



Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	90
Section size(mm)	6*16





End cap with hole



End cap no hole

LWTG0814-1



Lighting Direction	Side Lighting
PCB Width(mm)	8
Weight(g/m)	145
Section size(mm)	8*14
Beam angle	120°
Aluminum Profile size	



End cap with hole




End cap no hole





Aluminum Clip



Aluminum Profile



LWTG0815-1



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 114

Section size(mm) 8*15

Beam angle 180°

Aluminum Profile size




End cap with hole

End cap no hole

Aluminum Clip

Flexible Profile

LWTG0816-1



Lighting Direction Side Lighting


PCB Width(mm) 8

Weight(g/m) 112

Section size(mm) 8*16

Beam angle 180°

Aluminum Profile size



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG0816-2



Lighting Direction Side Lighting


PCB Width(mm) 8

Weight(g/m) 118

Section size(mm) 8*16


Beam angle 120°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Flexible Profile

LWTG0817-1



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 131

Section size(mm) 8*17



Beam angle 270°

Aluminum Profile size



End cap with hole End cap no hole Aluminum Clip Aluminum Profile Flexible Profile

LWTG1018-1



Lighting Direction 3 side Top Lighting


PCB Width(mm) 10

Weight(g/m) 195



Section size(mm) 10*18

Beam angle 180°

Aluminum Profile size



LWTG1020-1




Lighting Direction Side Lighting

PCB Width(mm) 10



Weight(g/m) 213

Section size(mm) 10*20

Beam angle 120°



LWTG1023-1



Lighting Direction Side Lighting


PCB Width(mm) 10

Weight(g/m) 272

Section size(mm) 10*23

Beam angle 270°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1023-2



Lighting Direction Side Lighting


PCB Width(mm) 10

Weight(g/m) 196

Section size(mm) 10*23

Beam angle 270°

Aluminum Profile size



End cap with hole



End cap no hole


Aluminum Clip

Aluminum Profile



Flexible Profile


LWTG1220-1





Lighting Direction	Side Lighting
PCB Width(mm)	10
Weight(g/m)	248
Section size(mm)	12*20
Beam angle	120°
Aluminum Profile size	

LWTG1220-5



Lighting Direction	Side Lighting
PCB Width(mm)	12
Weight(g/m)	248
Section size(mm)	12*20
Beam angle	120°
Aluminum Profile size	

LWTG1220-2



Lighting Direction Side Lighting


PCB Width(mm) 10

Weight(g/m) 195



Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size



LWTG1225-1



Lighting Direction Side Lighting


PCB Width(mm) 12

Weight(g/m) 335



Section size(mm) 12*25

Beam angle 270°

Aluminum Profile size



LWTG1225-2



Lighting Direction Side Lighting


PCB Width(mm) 10

Weight(g/m) 243




Section size(mm) 12*25

Beam angle 270°

Aluminum Profile size



LWTG1525-1



Lighting Direction 3 sides Top Lighting


PCB Width(mm) 10

Weight(g/m) 320

Section size(mm) 15*25

Beam angle 180°

LWTG1313-1



Lighting Direction	Top Lighting
PCB Width(mm)	8
Weight(g/m)	142
Section size(mm)	13*13
Beam angle	180°



End cap with hole




End cap no hole



Plastic clip

LWTG1513-1



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	143
Section size(mm)	13*15
Beam angle	180°



End cap with hole






End cap no hole



Plastic clip

LWTG13-1



Lighting Direction	Top Lighting
PCB Width(mm)	5
Weight(g/m)	136
Section size(mm)	Ø13
Beam angle	270°



End cap with hole






End cap no hole



Plastic clip

LWTG20-1



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	320
Section size(mm)	Ø20
Beam angle	270°



End cap with hole





End cap no hole



Plastic clip

LWTG20-2



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	241
Section size(mm)	Ø20
Beam angle	270°



End cap with hole





End cap no hole



Plastic clip

LWTG13-2



Lighting Direction	360°
PCB Width(mm)	double-sided 4/5
Weight(g/m)	145
Section size(mm)	Ø13
Beam angle	360°



End cap with hole





End cap no hole



Plastic clip

LWTG15-1



Lighting Direction	360°
PCB Width(mm)	double-sided 5/6
Weight(g/m)	164
Section size(mm)	Ø15
Beam angle	360°



End cap with hole





End cap no hole



Plastic clip

LWTG16-1



Lighting Direction	360°
PCB Width(mm)	double-sided 5/6
Weight(g/m)	200
Section size(mm)	Ø16
Beam angle	360°



End cap with hole




End cap no hole



Plastic clip

LWTG18-1



Lighting Direction	360°
PCB Width(mm)	double-sided 8
Weight(g/m)	226
Section size(mm)	Ø18
Beam angle	360°



End cap with hole




End cap no hole



Plastic clip

LWTG20-3



Lighting Direction	360°
PCB Width(mm)	double-sided 8
Weight(g/m)	287
Section size(mm)	Ø20
Beam angle	360°



End cap with hole





End cap no hole



Plastic clip

LWTG22-1



Lighting Direction	360°
PCB Width(mm)	double-sided 5/6
Weight(g/m)	348
Section size(mm)	Ø22
Beam angle	360°



End cap with hole





End cap no hole



Plastic clip

LWTG22-2



Lighting Direction	360°
PCB Width(mm)	double-sided 8/10
Weight(g/m)	327
Section size(mm)	Ø 22
Beam angle	360°



End cap with hole




End cap no hole



Plastic clip

LWTG25-1



Lighting Direction	360°
PCB Width(mm)	double-sided 8
Weight(g/m)	408
Section size(mm)	Ø25
Beam angle	360°



End cap no hole



End cap with hole



Plastic clip




End cap with hole



End cap no hole

LWTG28-1



Lighting Direction	360°
PCB Width(mm)	double-sided 8
Weight(g/m)	600
Section size(mm)	Ø28
Beam angle	360°



End cap no hole



End cap with hole



Plastic clip




End cap with hole



End cap no hole


LWTG30-1



Lighting Direction	360°
PCB Width(mm)	double-sided 10
Weight(g/m)	621
Section size(mm)	Ø30
Beam angle	360°





LWTG38-1



Lighting Direction	360°
PCB Width(mm)	double-sided 10
Weight(g/m)	1060
Section size(mm)	Ø38
Beam angle	360°



LWTG22-4



End cap with hole



End cap no hole



Plastic clip

Lighting Direction Top Lighting


PCB Width(mm) 5

Weight(g/m) 157




Section size(mm) 22*14

Beam angle 180°

Aluminum Profile size



LWTG1010-5



Aluminum Clip



Aluminum Profile



Flexible Profile

Lighting Direction Top Lighting


PCB Width(mm) 5

Weight(g/m) 96




Section size(mm) 10*9


Beam angle 120°

Aluminum Profile size



LWTG1212-5



Lighting Direction	Top Lighting
PCB Width(mm)	8
Weight(g/m)	132
Section size(mm)	12*11
Beam angle	120°
Aluminum Profile size	



Aluminum Clip







Aluminum Profile



Flexible Profile

LWTG1616-5



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	186
Section size(mm)	16*15
Beam angle	120°
Aluminum Profile size	



Aluminum Clip






Aluminum Profile




Flexible Profile

LWTG2014-4



Aluminum Clip



Aluminum Profile



Flexible Profile

Lighting Direction	Top Lighting
--------------------	--------------


PCB Width(mm)	10
---------------	----

Weight(g/m)	238
-------------	-----




Section size(mm)	20*14
------------------	-------

Beam angle	120°
------------	------

Aluminum Profile size	
-----------------------	--



LWTG2020-5



Aluminum Clip



Aluminum Profile



Flexible Profile

Lighting Direction	Top Lighting
--------------------	--------------


PCB Width(mm)	10/12
---------------	-------

Weight(g/m)	296
-------------	-----




Section size(mm)	20*19
------------------	-------

Beam angle	120°
------------	------

Aluminum Profile size	
-----------------------	--



LWTG1010-7



Lighting Direction Top Lighting


PCB Width(mm) 5

Weight(g/m) 94

Section size(mm) 10*9

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1212-7



Lighting Direction Top Lighting


PCB Width(mm) 8

Weight(g/m) 124

Section size(mm) 12*11

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile



Flexible Profile


LWTG1510-2






Lighting Direction	Top Lighting
PCB Width(mm)	8/10
Weight(g/m)	107
Section size(mm)	15*9
Beam angle	120°
Aluminum Profile size	

LWTG1616-8



Lighting Direction	Top Lighting
PCB Width(mm)	8/10
Weight(g/m)	172
Section size(mm)	16*15
Beam angle	120°
Aluminum Profile size	

LWTG2010-2



Lighting Direction Top Lighting


PCB Width(mm) 10

Weight(g/m) 180



Section size(mm) 20*9

Beam angle 120°

Aluminum Profile size



LWTG2020-8



Lighting Direction Top Lighting


PCB Width(mm) 10/12

Weight(g/m) 253



Section size(mm) 20*19

Beam angle 120°

Aluminum Profile size






LWTG2020-9





Lighting Direction	Top Lighting
PCB Width(mm)	10/12
Weight(g/m)	250
Section size(mm)	20*19
Beam angle	120°
Aluminum Profile size	21.5mm 22.5mm

LWTG2018-1



Lighting Direction	Top Lighting
PCB Width(mm)	12
Weight(g/m)	183
Section size(mm)	20*18
Beam angle	120°

LWTG3020-3



Lighting Direction Top Lighting


PCB Width(mm) 15

Weight(g/m) 358

Section size(mm) 30*19

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG4015-1



Lighting Direction Top Lighting


PCB Width(mm) 15/20

Weight(g/m) 407

Section size(mm) 40*14

Beam angle 120°

Aluminum Profile size






Aluminum Clip

Aluminum Profile

Flexible Profile



LWTG5015-1




Lighting Direction	Top Lighting
PCB Width(mm)	15/20
Weight(g/m)	521
Section size(mm)	50*14
Beam angle	120°
Aluminum Profile size	





LWTG1010-6





Lighting Direction	Top Lighting
PCB Width(mm)	6
Weight(g/m)	72
Section size(mm)	10*10
Beam angle	120°
Aluminum Profile size	





LWTG1212-6





Lighting Direction	Top Lighting
PCB Width(mm)	8
Weight(g/m)	106
Section size(mm)	12*12
Beam angle	120°
Aluminum Profile size	





LWTG1616-6



Lighting Direction	Top Lighting
PCB Width(mm)	10
Weight(g/m)	187
Section size(mm)	16*16
Beam angle	120°
Aluminum Profile size	



LWTG1616-7



Lighting Direction Top Lighting



PCB Width(mm) 10

Weight(g/m) 196

Section size(mm) 16*16

Beam angle 120°

Aluminum Profile size



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG2020-6



Lighting Direction Top Lighting


PCB Width(mm) 12

Weight(g/m) 302

Section size(mm) 20*20

Beam angle 120°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG2020-7



Lighting Direction Top Lighting



PCB Width(mm) 12

Weight(g/m) 330

Section size(mm) 20*20

Beam angle 120°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG0612-2



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 68

Section size(mm) 6*12

Beam angle 120°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG0612-3



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 72

Section size(mm) 6*12

Beam angle 120°

Aluminum Profile size



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG0616-2



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 87

Section size(mm) 6*16

Beam angle 120°

Aluminum Profile size



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG0616-3



Lighting Direction Side Lighting



PCB Width(mm) 8

Weight(g/m) 89

Section size(mm) 6*16

Beam angle 120°

Aluminum Profile size



End cap with hole


End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1220-3



Lighting Direction Side Lighting


PCB Width(mm) 10

Weight(g/m) 226

Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size



End cap with hole



End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

LWTG1220-4



End cap with hole

End cap no hole

Aluminum Clip

Aluminum Profile

Flexible Profile

Lighting Direction Side Lighting


PCB Width(mm) 10

Weight(g/m) 225



Section size(mm) 12*20

Beam angle 120°

Aluminum Profile size



LWTG22-3



Lighting Direction 360°

PCB Width(mm) double-sided 8

Weight(g/m) 397

Section size(mm) Ø22


Beam angle 360°



End cap with hole

End cap no hole

Plastic clip



Coppistraße 91
D-04157 Leipzig
Germany
Tel : +49 (0) 341-9105850
Fax: +49 (0) 341-91075030
E-mail: 01@lightwolf.de

Showroom
Döbichauer Straße 5-7
D- 04435 Schkeuditz / Dölzig
Germany

www.lightwolf.de